Questions Documentation

Questionnaire 1 15th week of gestation

The Norwegian Mother and Child Cohort Study (MoBa)

Mother Questionnaire

Version 1.0 March 2016 by Fufen Jin

This document describing the instruments used to construct the questionnaire has not been finally quality controlled. The document may contain some minor inaccuracies and will be subjected to revision. If you have any comments that may improve this document contact mobaadm@fhi.no

LIST OF CONTENT

Instrument	3
1-10. Menstruation	4
11-30. Contraception and Pregnancy	5
11-30. Contraception and Pregnancy (cont.)	6
31-35. Previous Pregnancies	
36-37. Vaginal Bleeding during this Pregnancy	
38. Illness and Health Problems during this Pregnancy	
38. Illness and Health Problems during this Pregnancy (cont.)	
39. Previous and Current Illnesses and Health Problems	
39. Previous and Current Illnesses and Health Problems (cont.)	13
39. Previous and Current Illnesses and Health Problems (cont.)	14
39. Previous and Current Illnesses and Health Problems (cont.)	15
40-44. Other Illnesses/Health Problems and Medicines	16
45-48. Medication, Vitamins, and Supplements	17
49-50. Civil Status and Education	18
51-58. Work Situations	19
59-62. Strains at Work	21
63-68. Exposure to Radiation	22
68. Exposure to Harmful Substances	23
69-71. Exposure to Noise and Animals	24
72-74. Family Household	25
75-78. Language Backgrounds and Language(s) Spoken at Home	26
79-81. Income and Housing	27
82-86. Exposure at Home	28
87-104. Smoking	29
87-104. Smoking (cont.)	30
105. Drinking Soda, Coffee, Juice or Milk	31
106-109. Alcohol and Drugs	
110-115. Alcohol Consumption and Drinking Behaviours	
116. Rutgers Alcohol Problems Index (RAPI)	
Questions about weight control and eating disorders	
117-122. Weight Control and Eating Disorders	35
Questions about Urination	37
123-129. Urination	
Questions about Physical activity	
130-132. Physical Activity	
Questions about yourself	
133. Life Satisfaction	
134. Partner Relationship.	
135-137. Social Support	
138. Depression/Anxiety during Pregnancy	
139-140. Abuse	
141. Self Esteem	
142-144. Life Time History of Depression	46

MODEL STRUCTURE OF WHAT IS PRESENTED PER INSTRUMENT / SECTION

Instrument

1. Name of original instrument/question:

Original name of scale (*no name* if only single question)

List wording of questions included in the section (with number from questionnaire in front) and write response categories (with values used in the dataset)

2. Description of original scale or selection of items used

Description of analytical approaches for selecting just a sample of items from a scale If single question. NOT RELEVANT

If selection of established short version, make referral to literature and/or use

Where does the Q/scale come from, what is it meant to measure. Description of number of items, subscales. Where the Q/scale has been used and any information that give insight into what instrument this is.

Primary references of the instrument as well as important secondary publications if relevant.

3. Rationale for choosing the instrument:

What is it meant to measure and IF RELEVANT: Why this is a good measure.

4. Modifications:

Describe modifications during the study from one version to another.

Write if omitted or added from one version to another

NOTE 1:

Q1 has four versions (A, B, C, and E). This instrument documentation is based on version E.

NOTE 2:

Questions to which the answers are written into open text fields are annotated with two variable names. The first indicates whether or not there is text; the second contains the actual text. In the case of medication, there is an additional variable name with a "k" at the end, to indicate how the name of medicine has been coded.

1-10. Menstruation

1. Name of original questions: 10 questions about menstruation

Q		Response options	Variable name
1	How old were you when you had your		
		Number 0-99	AA12
2	How many days are there usually bety your next menstrual period?	ween the first day in your menstrual	period and the first day in
		Number 0-99	AA13
3	Are you usually depressed or irritable		
		1-No	AA14
		2-Yes, but just slightly	
		3-Yes, noticeably	
	If you done this facility discusses ofto	4-Yes, very much	
4	If yes, does this feeling disappear afte	1-No	AA15
		2-Yes	AATS
5	Were your periods regular the year be		
3	were your perious regular the year be	1-No	AA16
		2-Yes	AATO
6	During the last year before you beca		eriod for more than three
	months?	ariic pregnant, ala you lose your p	criou for more than times
	Only in version A	1-No	AA1687
		2-Yes	
Version	1-No		AA17
В	2-Yes, due to an earlier pregnancy		AA18
С	3-Yes, for other reasons		AA19
E	<u> </u>		
7	Date of first day of last menstrual period		
	Day	Number 0-99	AA20
	Month	Number 0-99	AA21
	Year	Number 0-9999	AA22
8	Did your last menstrual period come a		
		1-No	AA23
9	Are you certain about the date of first	day of last menstrual period?	
		1-Certain	AA24
		2-Uncertain	
10	Describe the duration, amount of blee		t period
	Duration	1-As usual	AA25
	Amount of bleeding	2-More than usual	AA26
	Menstrual pains	3-Less than usual	AA27

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Menstrual function and menstrual cycle patterns are useful markers of ovarian function and reproductive health.

4. Revision during the data collection period:

The response categories of question 6 are different from version A to the other versions (see table above). No further revisions have been made.

11-30. Contraception and Pregnancy

1. Name of original questions: 20 questions related to pregnancy and contraceptive use

		Response options	Variable name
	Have you/your partner at any time during the	last year used the following methods to a	
	Condom		AA28
	Diaphragm		AA29
	IUD		AA30
	Hormone IUD		AA31
	Hormone injection		AA32
	Mini pill		AA33
	Pill		AA34
	Spermicides (foam, suppositories, cream)		AA35
	Safe period		AA36
	Withdrawal		AA37
	No such methods		AA38
	Other		AA39
	Other		
	Other, specify		AA40
_	· · · · · · · · · · · · · · · · · · ·		AA1584(txt)
2	If you have used the pill/mini-pill, how long ha		
		1) Less than one year	
	Pill	2) 1-3 years	AA41
		3) 4-6 years	
		4) 7-9 years	
	Mini-pill	5) 10 years or more	AA42
3	If you have used the pill/mini-pill, how old we	re you when you first used it?	
		Number 0 - 99	AA43
1	Were you taking the pill/mini-pill during the la	st 4 months before this pregnancy?	
		1-No	
		2-Yes	AA44
5	If yes, how long before your last menstrual pe	eriod did you stop taking the pill/mini-pill?	•
	weeks	Number 0 - 99	AA45
3	Was this pregnancy planned?		
	produce and programme and	1-No	
		2-Yes	AA46
7	If yes, how many months did you have regula		e vou became pregnant?
	, , , , , , , , , , , , , , , , , , ,		
		1) Less than 1 month	AA47
		2) 1-2 months	
	In version B, C, E	3) 3 months or more	
	In all versions	Number of months if more than 3	AA48
	III dii versions	1) Less than 2 months	7440
	Only in version A	2) 2-3 months	AA1687
	Only in version A	'	AA 1007
3	Did you become pregnant even though you o	3) 3 months or more	
•	Did you become pregnant even though you o		A A 4 O
		1-No	AA49
	If was which time 2	2-Yes	
•	If yes, which type?		AAFC
	Condom		AA50
	Diaphragm		AA51
	IUD		AA52
	Hormone IUD		AA53
	Hormone injection		AA54
	Mini pill		AA55
	Pill		AA56
	Spermicides (foam, suppositories, cream)		AA57
	Safe period		AA58
	Withdrawal		
			AA59
	Other		AA60
	00		AA61
	Other, specify		ΛΛ15Q5/+√+\
)	Other, specify If you became pregnant while using an IUD, h	as it now been removed?	AA1585(txt)

2-Yes

11-30. Contraception and Pregnancy (cont.)

Q		Response options	Variable nar	ne
21	How long have you and the baby's father I	had a sexual relationship?		
	Months Years	Number 0 – 99	AA63 AA64	
22	How often did you have sexual intercourse the last four weeks?	e during the four weeks before you bed	came pregnai	nt and during
	Before	1) Every day 2) 5-6 times a week 3) 3-4 times a week	AA65	
	Now	4) 1-2 times a week 5) 1-2 times every two weeks 6) Less than 1-2 times every 2 weeks 7) Never	AA66	
23	Have you ever been treated for infertility?			
		1-No 2-Yes	AA67	
24	If yes, was it in connection with this pregn you have?	ancy or an earlier pregnancy and what	t type of treat	ment did
			Earlier pregnancy	This pregnancy
	Fallopian tube surgery		AA68	AA69
	Other surgery		AA70	AA71
	Medication for endometriosis		AA72	AA73
	Hormone treatment		AA74	AA75
	Insemination (injection of sperm)		AA76	AA77
	Test-tube method		AA78	AA79
	Other		AA80	AA81
25	Have you been given information about an	nniocentesis?		
	In versions B, C, E	1-No 2-Yes	AA82	
	If you are over 38 at the estimated date of de	livery, have you been given information a	bout amnioce	ntesis?
		1-No 2-Yes	AA1712	
Α	If yes, have you planned to perform amniocer			
		1-No 2-Yes	AA1713	
26	What was your blood pressure at your firs	t antenatal visit?		
	Highest	Number 0 - 999	AA83	
	Lowest	Number 0 - 999	AA84	
27	What did you weigh at the time you becam			ns)?
	When I became pregnant	Number 0 - 999	AA85	
28	Now How tall are you?		AA86	
20		Number 0 - 999	AA87	
29	How tall is the baby's father?	Nulling: 0 - 333	AAOI	
23	cm	Number 0 - 999	AA88	
30	How much does the baby's father weigh?	114111201 0 000	, , , , , , ,	
	kg	Number 0 - 999	AA89	
	· ·	1		

2. Description of original questions: MoBa specific single questions

Psychometric Information: Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Information on contraceptive practice, intendedness of pregnancies, treatment for infertility, and weight gain etc. is informative of reproductive health.

4. Revision during the data collection period:

Question 17 has slightly different response categories from version A to the other versions; Question 25 is formulated slightly differently and has an additional question in version A (see table above). No further revisions have been made.

31-35. Previous Pregnancies

1. Name of original questions: Questions about previous pregnancies

Q		Response options	Variable name						
31	Have you been pregnant before? (Include	all pregnancies that ended	in abortion, miscarriage or stillbirth)						
		1-No	AA93						
		2-Yes							
32	If yes, fill in for all earlier pregnancies. Incl	lude all pregnancies that e	nded in abortion, miscarriage or stillbirth as well						
			any kilos you gained during the pregnancy and						
	the number of months you breast-fed each	Number 0 – 9999	(1)AA94 (2)AA100 (3)AA106 (4)AA112 (5)AA118						
	Year pregnancy started	Number 0 – 9999	(6)AA124 (7)AA130 (8)AA136 (9)AA142 (10)AA148						
		1-Live infant born	(0)AA 124 (7)AA 130 (0)AA 130 (9)AA 142 (10)AA 146						
		2-Spontaneous abortion	(1)AA95 (2)AA101 (3)AA107 (4)AA113 (5)AA119						
	Outcome of pregnancy	3-Termination of	(6)AA125 (7)AA131 (8)AA137 (9)AA143 (10)AA149						
		pregnancy							
		4-Ectopic pregnancy							
	Week of pregnancy for abortion/still birth	Number 0 – 99	(1)AA96 (2)AA102 (3)AA108 (4)AA114 (5)AA120						
			(6)AA126 (7)AA132 (8)AA138 (9)AA144 (10)AA150						
	Number of months breast feeding	Number 0 – 99	(1)AA97 (2)AA103 (3)AA109 (4)AA115 (5)AA121						
			(6)AA127 (7)AA133 (8)AA139 (9)AA145 (10)AA151						
	Weight gain during pregnancy	Number 0 – 99	(1)AA98 (2)AA104 (3)AA110 (4)AA116 (5)AA122						
			(6)AA128 (7)AA134 (8)AA140 (9)AA146 (10)AA152						
	Smoked during pregnancy	1-No	(1)AA99 (2)AA105 (3)AA111 (4)AA117 (5)AA123						
		2-Yes	(6)AA129 (7)AA135 (8)AA141 (9)AA147 (10)AA153						
33		ns during previous pregnai							
	Pelvic relaxation requiring medical leave		AA154						
	Pelvic relaxation requiring bed rest		AA155						
	3. Serious nausea and vomiting	1-No	AA156						
	4. Eclampsia during pregnancy	2-Yes	AA157						
	5. Diabetes during pregnancy		AA158						
	6. Sugar in urine		AA159						
0.4	7. Problems with incontinence		AA160						
34	your and provide the provide programmy and provide the provide								
	months after start of pregnancy	Number 0 - 99	AA161						
35									
	months after pregnancy	Number 0 - 99	AA162						
	Still have pain		AA163						

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed to survey all previous pregnancies and the problems related to previous pregnancies. History of previous pregnancies is informative of reproductive health.

4. Revision during the data collection period:

Question 31 is not included in version A. No further revisions have been made.

36-37. Vaginal Bleeding during this Pregnancy

1. Name of original questions: Questions about vaginal bleeding during this pregnancy

Q		Response options	Variable name					
36	Have you had bleeding from the vagina once or	more during this pregnancy?						
		1-No	AA164					
		2-Yes						
37	If yes, describe the first and last bleeding. Give bleeding lasted and how much you bled.	the date the bleeding started, how	w many days the					
	Date when bleeding started		First bleeding	Last bleeding				
	Day	Number 0 – 99	AA165	AA170				
	month	Number 0 – 99	AA166	AA171				
	Year	Number 0 – 9999	AA167	AA172				
	Number of days variation	Number 0 – 99	AA168	AA173				
	Amount	1-Trace of blood 2-More than just a trace 3-Coagulated blood	AA169	AA174				
	If more than two episodes of bleeding write in the number of times	Number 0 – 99	AA175					

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Bleeding in pregnancy can be a sign of miscarriage and of possible complication.

4. Revision during the data collection period:

Question 36 is not included in version A. No further revisions have been made.

38. Illness and Health Problems during this Pregnancy

1. Name of original questions: Question about illness or problems during this pregnancy

Have you experienced			ons / V ving illne			ring this	pregnan	cv? If vo	ou have i	ısed
medication in connec medicines and how m	tion with	these pi	roblems							iscu
modiomos una non m			ith proble	<u>-m</u>	Use	of medic	ation duri	na this n	reanancy	•
	In week of pregnancy			Use of medication during this pregnancy Name of				No. of		
	0-4	5-8	9-12	13+	medicine	0-4	5-8	9-12	13+	days
1. Pelvic relaxation	AA176		AA178	AA179	AA180 AA1586(txt) AA1586k	AA181	AA182	AA183		AA185
2. Abdominal pain	AA186	AA187	AA188	AA189	AA190 AA1587(txt) AA1587k	AA191	AA192	AA193	AA194	AA19
3. Back pain	AA196	AA197	AA198	AA199	AA200 AA1588(txt) AA1588k	AA201	AA202	AA203	AA204	AA20
4. Neck and shoulder pain	AA206	AA207	AA208	AA209	AA210 AA1589(txt) AA1589k	AA211	AA212	AA213	AA214	AA21
5. Nausea	AA216	AA217	AA218	AA219	AA220 AA1590(txt) AA1590k	AA221	AA222	AA223	AA224	AA22
6. Nausea with vomiting	AA226	AA227	AA228	AA229	AA230 AA1591(txt) AA1591k	AA231	AA232	AA233	AA234	AA235
7. Vaginal thrush	AA236	AA237	AA238	AA239	AA240 AA1592(txt) AA1592k	AA241	AA242	AA243	AA244	AA245
8. Vaginal catarrh/unusual discharge	AA246	AA247	AA248	AA249	AA250 AA1593(txt) AA1593k	AA251	AA252	AA253	AA254	AA25
9. Pregnancy itchy	AA256	AA257	AA258	AA259	AA260 AA1594(txt) AA1594k	AA261	AA262	AA263	AA264	AA26
10. Constipation	AA266	AA267	AA268	AA269	AA270 AA1595(txt) AA1595k	AA271	AA272	AA273	AA274	AA27
11. Diarrhoea/ gastric flu	AA276	AA277	AA278	AA279	AA280 AA1596(txt) AA1596k	AA281	AA282	AA283	AA284	AA28
12. Unusual tiredness/sleepiness	AA286	AA287	AA288	AA289	AA290 AA1597(txt) AA1597k	AA291	AA292	AA293	AA294	AA29
13. Sleeping problems	AA296	AA297	AA298	AA299	AA300 AA1598(txt) AA1598k	AA301	AA302	AA303	AA304	AA30
14. Heartburn/reflux	AA306	AA307	AA308	AA309	AA310 AA1599(txt) AA1599k	AA311	AA312	AA313	AA314	AA31
15. Oedema	AA316	AA317	AA318	AA319	AA320 AA1600(txt) AA1600k	AA321	AA322	AA323	AA324	AA32
16. Fever with rash	AA326	AA327	AA328	AA329	AA330 AA1601(txt) AA1601k	AA331	AA332	AA333	AA334	AA335
17. Fever over 38.5° C	AA336	AA337	AA338	AA339	AA340 AA1602(txt) AA1602k	AA341	AA342	AA343	AA344	AA34
18. Common cold	AA346	AA347	AA348	AA349	AA350 AA1603(txt) AA1603k	AA351	AA352	AA353	AA354	AA35
19. Throat infection	AA356	AA357	AA358	AA359	AA360 AA1604(txt) AA1604k	AA361	AA362	AA363	AA364	AA36

38. Illness and Health Problems during this Pregnancy (cont.)

1. Name of original questions: Question about illness or problems during this pregnancy

Q		Respor	se optic	ns / V	ariable n	ame					
38	Have you experience medication in conne medicines and how it	ction with	these pr	oblems							ised
				s/health			of medic	ation duri	ing this pi	regnancy	
			Neek of p	pregnanc	у	Name of		Neek of p	pregnanc	У	No. of
		0-4	5-8	9-12	13+	medicine	0-4	5-8	9-12	13+	days
	20. Sinusitis/ear infection	AA366	AA367	AA368	AA369	AA370 AA1605(txt) AA1605k	AA371	AA372	AA373	AA374	AA375
	21. Influenza	AA376	AA377	AA378	AA379	AA380 AA1606(txt) AA1606k	AA381	AA382	AA383	AA384	AA385
	22. Pneumonia/ bronchitis	AA386	AA387	AA388	AA389	AA390 AA1607(txt) AA1607k	AA391	AA392	AA393	AA394	AA395
	23. Sugar in urine	AA396	AA397	AA398	AA399	AA400 AA1608(txt) AA1608k	AA401	AA402	AA403	AA404	AA405
	24. Protein in urine	AA406	AA407	AA408	AA409	AA410 AA1609(txt) AA1609k	AA411	AA412	AA413	AA414	AA415

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed for MoBa to survey the presence of illness and problems during this pregnancy.

4. Revision during the data collection period:

Items 2-4 & 13 are not included in version A. No further revisions have been made.

39. Previous and Current Illnesses and Health Problems

1. Name of original questions: Question about previous and current illnesses and health problems

Q 39	Do you have or have y (tablets, mixtures, sup	ou had any positories,	of the followinhalers, cre	eams, etc.) in	or health					
	give the name(s) of the	e medication			hem.				•	
		IIII ICSS/TICA	IIII PIODIEIII			edication during this pregnancy Week of pregnancy				1
A S		Before pregnancy	During pregnancy	Name of medicine	Last 6 months before pregnancy	0-4	5-8	9-12	13+	No. of days
T H M A	1. Asthma	AA419	AA420	AA421 AA1610(txt) AA1610k	AA422	AA423	AA424	AA425	AA426	AA427
/ A L	2. Hay fever, pollen allergy	AA428	AA429	AA430 AA1611(txt) AA1611k	AA431	AA432	AA433	AA434	AA435	AA436
L E R	3. Animal hair allergy	AA437	AA438	AA439 AA1612(txt) AA1612k	AA440	AA441	AA442	AA443	AA444	AA445
G Y / S K I	4. Other allergy	AA446	AA447	AA448 AA1613(txt) AA1613k	AA449	AA450	AA451	AA452	AA453	AA454
	5. Atopic dermatitis (childhood eczema)	AA455	AA456	AA457 AA1614(txt) AA1614k	AA458	AA459	AA460	AA461	AA462	AA463
N D	6. Urticaria (hives)	AA464	AA465	AA466 AA1615(txt) AA1615k	AA467	AA468	AA469	AA470	AA471	AA472
I S O	7. Psoriasis	AA473	AA474	AA475 AA1616(txt) AA1616k	AA476	AA477	AA478	AA479	AA480	AA481
R D E	8. Other eczema	AA482	AA483	AA484 AA1617(txt) AA1617k	AA485	AA486	AA487	AA488	AA489	AA490
R S	9. Cold sores (herpes)	AA491	AA492	AA493 AA1618(txt) AA1618k	AA494	AA495	AA496	AA497	AA498	AA499
	10. Acne/pimples (serious)	AA500	AA501	AA502 AA1619(txt) AA1619k	AA503	AA504	AA505	AA506	AA507	AA508
D I A B	11. Diabetes treated with insulin	AA509	AA510	AA511 AA1620(txt) AA1620k	AA512	AA513	AA514	AA515	AA516	AA517
E T E S	12. Diabetes not treated with insulin	AA518	AA519	AA520 AA1621(txt) AA1621k	AA521	AA522	AA523	AA524	AA525	AA526
H E A	13. Congenital heart defect	AA527	AA528	AA529 AA1622(txt) AA1622k	AA530	AA531	AA532	AA533	AA534	AA535
R T /	14. Other heart disease	AA536	AA537	AA538 AA1623(txt) AA1623k	AA539	AA540	AA541	AA542	AA543	AA544
M E T	15. High cholesterol	AA545	AA546	AA547 AA1624(txt) AA1624k	AA548	AA549	AA550	AA551	AA552	AA553
A B O L	16. High blood pressure	AA554	AA555	AA556 AA1625(txt) AA1625k	AA557	AA558	AA559	AA560	AA561	AA562
I S M	17. Hypothyroidism or hyperthyroidism	AA563	AA564	AA565 AA1626(txt) AA1626k	AA566	AA567	AA568	AA559	AA570	AA571

39. Previous and Current Illnesses and Health Problems (cont.)

Q				Variable nam						
39	Do you have or have y (tablets, mixtures, sur give the name(s) of th	positories,	inhalers, cre	eams, etc.) in	conjunction					
	give the name(s) of th		ith problem	en you took ti	Use of me	dication				
					Last 6	In pregnancy week				
		Before pregnancy	During pregnancy	Name of medicine	months before pregnancy	0-4	5-8	9-12	13+	No. of days
/ B L	18. Anaemia/low hemoglobin	AA572	AA573	AA574 AA1627(txt) AA1627k	AA575	AA576	AA577	AA578	AA579	AA580
O O D	19. B-12/folic acid insufficiency	AA581	AA582	AA583 AA1628(txt) AA1628k	AA584	AA585	AA586	AA587	AA588	AA589
G A	20. Hepatitis/jaundice	AA590	AA591	AA592 AA1629(txt) AA1629k	AA593	AA594	AA595	AA596	AA597	AA598
S T R	21. Gall stones	AA599	AA600	AA601 AA1630(txt) AA1630k	AA602	AA603	AA604	AA605	AA606	AA607
O I N	22.Duodenal/stomach ulcer	AA608	AA609	AA610 AA1631(txt) AA1631k	AA611	AA612	AA613	AA614	AA615	AA616
T E S	23. Crohn's disease/ulcerative colitis	AA617	AA618	AA619 AA1632(txt) AA1632k	AA620	AA621	AA622	AA623	AA624	AA625
T I N	24. Celiac disease	AA626	AA627	AA628 AA1633(txt) AA1633k	AA629	AA630	AA631	AA632	AA633	AA634
A L	25. Other gastro- intestinal problems	AA635	AA636	AA637 AA1634(txt) AA1634k	AA638	AA639	AA640	AA641	AA642	AA643
M U S	26. Rheumatoid arthritis/Bechterev's reflex	AA644	AA645	AA646 AA1635(txt) AA1635k	AA647	AA648	AA649	AA650	AA651	AA652
C L E /	27. Lupus (SLE)	AA653	AA654	AA655 AA1636(txt) AA1636k	AA656	AA657	AA658	AA659	AA660	AA661
S K E	28. Sciatica	AA662	AA663	AA664 AA1637(txt) AA1637k	AA665	AA666	AA667	AA668	AA669	AA670
L E T O N	29. Myalgia	AA671	AA672	AA673 AA1638(txt) AA1638k	AA674	AA675	AA676	AA677	AA678	AA679
	30. Ovary/fallopian tube infection	AA680	AA681	AA682 AA1639(txt) AA1639k	AA683	AA684	AA685	AA686	AA687	AA688
G E N	31. Endometriosis	AA689	AA690	AA691 AA1640(txt) AA1640k	AA692	AA693	AA694	AA695	AA696	AA697
I T A	32. Descent of the uterus	AA698	AA699	AA700 AA1641(txt) AA1641k	AA701	AA702	AA703	AA704	AA705	AA706
L /	33. Ovarian cyst	AA707	AA708	AA709 AA1642(txt) AA1642k	AA710	AA711	AA712	AA713	AA714	AA715
	34. Myoma	AA716	AA717	AA718 AA1643(txt) AA1643k	AA719	AA720	AA721	AA722	AA723	AA724

39. Previous and Current Illnesses and Health Problems (cont.)

Q				Variable nam						
39	Do you have or have y (tablets, mixtures, sup give the name(s) of th	positories,	inhalers, cre	eams, etc.) in	conjunction					
		Illness/hea	Ith problem		Use of me	dication	during th	is pregna	псу	
		Before pregnancy	During pregnancy	Name of medicine	Last 6 months before pregnancy	0-4	In pregna 5-8	9-12	13+	No. of days
	35. Cervical cell changes	AA725	AA726	AA727 AA1644(txt) AA1644k	AA728	AA729	AA730	AA731	AA732	AA733
	36. Herpes	AA734	AA735	AA736 AA1645(txt) AA1628k	AA737	AA738	AA739	AA740	AA741	AA742
U R I T A	37. Venereal warts/ condyloma	AA743	AA744	AA745 AA1646(txt) AA1646k	AA746	AA747	AA748	AA749	AA750	AA751
	38. Gonorrhea	AA752	AA753	AA754 AA1647(txt) AA1647k	AA755	AA756	AA757	AA758	AA759	AA760
R Y	39. Chlamydia	AA761	AA762	AA763 AA1648(txt) AA1648k	AA764	AA765	AA766	AA767	AA768	AA769
T R A	40. Kidney stones	AA770	AA771	AA772 AA1649(txt) AA1649k	AA773	AA774	AA775	AA776	AA777	AA778
C T	41. Kidney infection/ pyelonephritis	AA779	AA780	AA781 AA1650(txt) AA1650k	AA782	AA783	AA784	AA785	AA786	AA787
	42. Urinary tract infections	AA788	AA789	AA790 AA1651(txt) AA1651k	AA791	AA792	AA793	AA794	AA795	AA796
	43. Incontinence	AA797	AA798	AA799 AA1652(txt) AA1652k	AA800	AA801	AA802	AA803	AA804	AA805
0	44. Anorexia/ bulimia/ other eating disorders	AA806	AA807	AA808 AA1653(txt) AA1653k	AA809	AA810	AA811	AA812	AA813	AA814
T H E	45. Migraine	AA815	AA816	AA817 AA1654(txt) AA1654k	AA818	AA819	AA820	AA821	AA822	AA823
R	46. Other headache	AA824	AA825	AA826 AA1655(txt) AA1655k	AA827	AA828	AA829	AA830	AA831	AA832
L N E	47. Epilepsy	AA833	AA834	AA835 AA1656(txt) AA1656k	AA836	AA837	AA838	AA839	AA840	AA841
S S	48. Multiple sclerosis	AA842	AA843	AA844 AA1623(txt) AA1623k	AA845	AA846	AA847	AA848	AA849	AA850
H E A	49. Cerebral palsy	AA851	AA852	AA853 AA1657(txt) AA1657k	AA854	AA855	AA856	AA857	AA858	AA859
L T H	50. Cancer	AA860	AA861	AA862 AA1658(txt) AA1658k	AA863	AA864	AA865	AA866	AA867	AA868
	51. Depression	AA869	AA870	AA871 AA1659(txt) AA1659k	AA872	AA873	AA874	AA875	AA876	AA877

39. Previous and Current Illnesses and Health Problems (cont.)

Q		Response options / Variable name										
39	Do you have or have you had any of the following illnesses or health problems? If you have taken medication (tablets, mixtures, suppositories, inhalers, creams, etc.) in conjunction with the illness or health problem give the name(s) of the medication(s) and when you took them.											
		Illness/hea	Ith problem		Use of me	dication	during th	is pregna	ncy			
				Name of months medicine before pregnancy		In pregna	ncy wee	k				
		Before pregnancy	During pregnancy		before	0-4	5-8	9-12	13+	No. of days		
P R	52. Anxiety	AA878	AA879	AA880 AA1611(txt) AA1611k	AA881	AA882	AA883	AA884	AA885	AA886		
O B L	53. Other long illnesses or health problems	AA887	AA888	AA889 AA1612(txt) AA1612k	AA890	AA891	AA892	AA893	AA894	AA895		
E M	Other, specify	AA896 AA1663(txt))									

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed for MoBa to survey the presence of illness and use of medication before and during this pregnancy. The list covers both common public health issues as well as rare illnesses.

4. Revision during the data collection period:

The list of illnesses/health problems is slightly different from version A to the other versions.

40-44. Other Illnesses/Health Problems and Medicines

1. Name of original questions: Question about other illnesses/health problems and medicines

Q		Response options Variable name						
40	Do you have a	congenital deformity/ birth defec	ct?					
		1-No	AA900					
		2-Yes						
41	If yes, which?							
			AA901					
			AA1664(txt)					
42	Do your gums	bleed when you brush your teetl	h at present?					
		1-No, rarely or never						
		2-Yes, sometimes	AA902					
		3-Yes, often						
40	16 . 1 . 1 . 1 . 1	4-Yes, almost always f you had diabetes before you became pregnant, what was your last long-term blood sugar level (HbA1c) before						
43			nt, wnat was y	our last long-	erm blood suga	ar level (HDA1	c) before	
	you became p	, ,	T T					
		1) Less that 7.5 2) 7.5 -12						
		3) More than 12	AA903					
		4) Don't know						
44	Have you use	d other medication not previously	/ mentioned?	If yes which :	and when did v	ou take them?	•	
	Have you use	a other medication not previously						
		I	Medicine 1	Medicine 2	Medicine 3	Medicine 4	Medicine 5	
	Name of		AA904	AA911	AA918	AA925	AA932	
	medication		AA1665(txt)	AA1666(txt)	AA1667(txt)	AA1668(txt)	AA1669(txt)	
			AA1665k	AA1666k	AA1667k	AA1668k	AA1669k	
	Use of	Last 6 months before pregnancy	AA905	AA912	AA919	AA926	AA933	
	medication	Pregnancy week 0-4	AA906	AA913	AA920	AA927	AA934	
	medication	Pregnancy week 5-8	AA907	AA914	AA921	AA928	AA935	
		Pregnancy week 9-12	AA908	AA915	AA922	AA929	AA936	
	ļ., .	Pregnancy week 13+	AA909	AA916	AA923	AA930	AA937	
	No. of days	Number 0 – 999	AA910	AA917	AA924	AA931	AA938	

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed for MoBa to survey the presence of other illnesses such as birth defect, gum bleeding, diabetes, and the use of other medicines.

4. Revision during the data collection period:

45-48. Medication, Vitamins, and Supplements

1. Name of original questions: questions about the use of medication, vitamins and supplements

Q		Respons	Response options				Variable	name				
45	Do you take vitamins, mir			ry supplen	nents?							
				•			1-No				AA9	20
							2-Yes					
46	If yes, fill in the table belo /bottle.	w for the	or the vitamins and minerals found in the content list on the vitamin package					kage				
			W	hen did yo	u take t	he s	supplemen	ts?				s period how did you take ?
			onths before				During this	s pregnanc	<u>V</u>		1)-Da	
			regnancy w	reeks			In pregna	ncy weeks				times a week
		26-9	8-5	4-0	0-4		5-8	9-12		13+	3) 1-3	times a week
	1. Folic acid	AA940	AA941	AA942	AA94	3	AA944	AA945	A	A946	AA94	17
	2. Vitamin B1 (Thiamine)	AA948	AA949	AA950	AA95	1	AA952	AA953	A	A954	AA95	55
	3. Vitamin B2 (Riboflavin)	AA956	AA957	AA958	AA959	9	AA960	AA961	A	A962	AA96	33
	4. Vitamin B6 (Pyridoxine)	AA964	AA965	AA966	AA96	7	AA968	AA969	A	A970	AA97	71
	5. Vitamin B12	AA972	AA973	AA974	AA97	5	AA976	AA977	A	A978	AA97	79
	6. Niacin	AA980	AA981	AA982	AA98	3	AA984	AA985	A	A986	AA98	37
	7. Pantothenic acid	AA988	AA989	AA990	AA99	1	AA992	AA993	A	A994	AA99	95
	8. Biotin	AA996	AA997	AA998	AA99	9	AA1000	AA1001	A	A1002	AA10	003
	9. Vitamin C	AA1004	AA1005	AA1006	AA10	07	AA1008	AA1009	A	A1010	AA10)11
	10. Vitamin A	AA1012	AA1013	AA1014	AA10	15	AA1016	AA1017	A	A1018	AA10)19
	11. Vitamin D	AA1020	AA1021	AA1022	AA102	23	AA1024	AA1025	A	A1026	AA10)27
	12. Vitamin E	AA1028	AA1029	AA1030	AA10	31	AA1032	AA1033	A	A1034	AA10)35
	13. Iron	AA1036	AA1037	AA1038	AA10	39	AA1040	AA1041	A	A1042	AA10)43
	14. Calcium	AA1044	AA1045	AA1046	AA104	47	AA1048	AA1049	A	A1050	AA10)51
	15. lodine	AA1052	AA1053	AA1054	AA10	55	AA1056	AA1057	A	A1058	AA10)59
	16. Zinc	AA1060	AA1061	AA1062	AA10	63	AA1064	AA1065	A	A1066	AA10	067
	17. Selenium	AA1068	AA1069	AA1070	AA10	71	AA1072	AA1073	A	A1074	AA10)75
	18. Copper	AA1076	AA1077	AA1078	AA10	79	AA1080	AA1081	A	A1082	AA10)83
	19. Chromium	AA1084	AA1085	AA1086	AA10	87	AA1088	AA1089	A	A1090	AA10	91
	20. Magnesium	AA1092	AA1093	AA1094	AA109	95	AA1096	AA1097	A	A1098	AA10)99
	21. Cod liver oil	AA1100	AA1101	AA1102	AA110	03	AA1104	AA1105	A	A1106	AA11	107
	22. Omega -3 fatty acid	AA1108	AA1109	AA1110	AA11	11	AA1112	AA1113	A	A1114	AA11	115
47	Give the complete name(s and diet products.	s) of all vit	amins and	dietary s	upplen	nent	ts you tak	e. Include	alte	ernative	/herb	al remedies
	Vitamins and dietary suppl	ements	1	2	2		3	4		5		6
	, , , , , , , , , , , , , , , , , , ,		AA1116	AA11		АА	1118	AA1119	\dashv	AA112)	AA1121
			AA1670(t				-	AA1673(tx	(t)	AA167	-	AA1675(txt)
48	If you use multivitamins (with or wi							-/		()	(J.()
			1-Yes									
			2-No			AA	A1122					
			3-Don't kr	now								

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

The use of medication, vitamins and supplements is considered an important proxy for possible disease, and is relevant to consider effects and prevalence of use.

4. Revision during the data collection period:

Version A does not include question 48, and items 2, 6-9, 15-16, 18-20, 22 of question 46.

49-50. Civil Status and Education

1. Name of original questions: Questions about marital status and education

Q		Response options	Variable name
49	What is your civil status?		
		1-Married	
		2-Cohabitant	
		3-Single	
		4-Divorced	AA1123
		5-Separated	
		6-Widow	
		7-Other	
50		ve? (Fill in the highest level of education you have co	mpleted
	and current studies if you are still in school.)		
	Education you have completed	1) 9-year secondary school	AA1124
		2) 1-2 year high school	
	Education baby's father has completed	3) Vocational high school	AA1126
		4) 3-year high school general studies, junior college	
	Education you're doing	5) Regional technical college, 4-year university degree	AA1125
		(Bachelor's degree, nurse, teacher, engineer)	
	Education baby's father is doing	6) University, technical college, more than 4 years	AA1127
		(Master's degree, medical doctor, PhD)	
	Other education you have completed		AA1128
	Other education you're doing		AA1129
	Other education baby's father has completed		AA1130
	Other education baby's father is doing		AA1131

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

These are standard measures of marital status and education levels.

4. Revision during the data collection period:

Questions about work and leisure

51-58. Work Situations

1. Name of original questions: 8 questions about work situations

Q		Response options	Variable n	ame
51	What was your and the baby's father's work situation			
	•		You	Baby's father
	1. Student		AA1132	AA1133
	2. At home	1	AA1134	AA1135
	3. Intern/apprentice	1	AA1136	AA1137
	4. Military service	-	AA1138	AA1139
	5. Unemployed/laid off	-	AA1140	AA1141
	6. Rehabilitation/disabled	-	AA1142	AA1143
	7. Employed in public sector		AA1144	AA1145
	8. Employed in private sector		AA1146	AA1147
	9. Self-employed	-	AA1148	AA1149
	10. Family member without steady income in family company (ex. Farming, business)		AA1150	AA1151
	11. Other	-	AA1152	AA1153
52	Did you have an extra job (with or without salary) waccountant, hair dresser, singer in a dance band, cl		? (For exam	ple,
	_	1-No 2-Yes	AA1157	
			AA1158	
		If yes, describe	AA1676(txt	i)
53	Have you been absent from work more than two we		?	
		1-No 2-Yes	AA1159	
54	Are you absent from your work at the present time?			
		1-No 2-Yes	AA1160	
55	If yes, what is the reason for your absence?			
	Medical leave		AA1161	
	Leave of absence		AA1162	
	Sick child		AA1163	
	Other		AA1164	
	If other, describe		AA1165	
F.C.		fore way became are more	AA1677(txt	
56	The usual number of paid working hours a week be	Tore you became pregnant	· · · · · · · · · · · · · · · · · · ·	ent.
	Before the pregnancy	Number 0 – 999	AA1166	
F.7	During the pregnancy		AA1167	wataly as
57	Describe the type of work carried out at your and the possible. (Write for example, hospital department for diesel vehicles, farming with grain and swine, work	or children with cancer, boo		
	You		AA1168 (tx	t)
	Baby's father	-	AA1169 (tx	
58	Occupation/title at this workplace? (Write for example cleaning assistant, housewife/at home.)	ple, staff nurse, mechanic,		
	You		AA1170 (tx	t)
	Baby's father	-	AA1171 (tx	
	Daby o latifor	<u> </u>	1,011111 (1)	,

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of work situations of the pregnant women and the baby's father.

4. Revision during the data collection period:Question 55 is not included in version A. No further revisions have been made.

59-62. Strains at Work

1. Name of original questions: 4 questions about work situation and job strains

Q		Response options	Variable name
59	Indicate the appropriate answer for each of the following questions of	concerning your present work situati	on.
	Do you sometimes have so much to do that your work situation becomes taxing?	1-Yes, every day more than half of	AA1172
	Do you have to turn and bend many times in the course of an hour?	the working day	AA1173
	Do you work with your hands above shoulder level or higher?		AA1174
	Do you work walking or standing?	2-Yes, every day less than half of the	AA1175
	Can you choose to work a little faster some days and a little slower on other days?	working day	AA1176
	Are you subjected to a lot of uncomfortable background noise?	3-Yes, periodically but not daily	AA1177
	Are you subjected to a lot of background noise that makes you have to raise your voice when talking to others, even at a distance of one metre?	4-Seldom or never	AA1178
60	How do the following statements describe your work situation?		
	I have physically heavy work		AA1179
	My work is very stressful	1-Agree	AA1180
	I learn a lot at work	_	AA1181
	My work is very monotonous	2-Agree mostly	AA1182
	My work demands a lot of me	0.5:	AA1183
	I am able to decide how my work is to be carried out	3-Disagree mostly	AA1184
	There is a good team spirit at my place of work	4 Disagroo	AA1185
	I enjoy my work	4-Disagree	AA1186
61	When are your working hours?		
	Permanent day work		AA1187
	Permanent afternoon or evening work		AA1188
	Permanent night work		AA1189
	Shift work (day and night) or shift rotations	_	AA1190
	No set times (extra work, extra shifts, temporary employment, etc.)	_	AA1191
62	Other During your pregnancy do you lift anything that weighs more than 10	k2 (10 kilos is the equivalent of a fu	AA1192
62	of water.)		II bucket
	At home	1-Infrequently or never 2-Yes, less than 20 times a week 3-Yes, more than 20 times a week	AA1193
	At work	4-Yes, 10-20 times a day 5-Yes, more than 20 times a day	AA1194

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Excessive physical work load and job strains are health concerns for both pregnant women and unborn babies.

4. Revision during the data collection period:

Question 62 is not included in version A. No further revisions have been made.

63-68. Exposure to Radiation

1. Name of original questions: Questions about exposure to radiation during this pregnancy

		B	Variable
Q		Response options	name
63	How often have you wo	orked with radio transmitters or radar after becoming pregnar	nt?
		1-Infrequently	
		2-Never	AA1195
		3-A few times a week	7211100
		4-Daily	
		5-On average more than an hour daily	
64	How often do you use	a cell phone?	
		1-Infrequently	
		2-Never	
		3-A few times a week	AA1196
		4-Daily	
		5-On average more than an hour daily	
65	Do your cell phone call	Is last more than 15 minutes?	
		1-Never	
		2-Infrequently	AA1197
		3-Often	
66		with a computer, laser printer or copying machine (at a dista	ince of less than
	two metres) after you b	pecame pregnant?	
	Computer monitor		AA1198
		1-Never	
	Laser printer	2-A few times a week	AA1199
	·	3-Daily	
	Copying machine	4-On average more than an hour daily	AA1200
	', "		
67	How often have you wo	orked with x-ray equipment (at a distance of less than two me	tres) after you
		is does not include treatment as a patient)	, •
		1-Never	
		2-A few times a week	
		3-Daily	AA1201
		4-On average more than an hour daily	

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of pregnant women's exposure to radiation, which can be a risk factor for unborn babies.

4. Revision during the data collection period:

Question 66 is not included in version A. No further revisions have been made.

68. Exposure to Harmful Substances

1. Name of original questions: Questions about exposure to harmful substances during this pregnancy

Q	Response options / Variable name					
68	Have you been in contact with any of the during the last six months?	ne following subs	stances eithe	er at work or in your le	isure time	
		The last 6 months 1-Yes 2-No	If yes, number of days	Fill in if you have used a hood for gases or breathing protection	Fill in if you have used protective gloves	
	Lead vapors, lead dust, lead particles or lead alloys	AA1202	AA1203	AA1204	AA1205	
	2. Chrome, arsenic, cadmium or combinations of these	AA1206	AA1207	AA1208	AA1209	
	3. Gasoline or exhaust (does not apply to filling gasoline in your own car)	AA1210	AA1211	AA1212	AA1213	
	4. Mercury vapors, mercury or work with amalgam fillings (does not apply to your own dental treatment)	AA1214	AA1215	AA1216	AA1217	
	5. Disinfectants, vermin poisons	AA1218	AA1219	AA1220	AA1221	
	6. Weed killers, insecticides, fungicides	AA1222	AA1223	AA1224	AA1225	
	7. Oil-based paint	AA1226	AA1227	AA1228	AA1229	
	8. Water-based or latex paint	AA1230	AA1231	AA1232	AA1233	
	9. Paint thinner, paint-lacquer-glue remover or other solvents (ex. lynol, turpentine, toluene, carbon tetrachloride)	AA1234	AA1235	AA1236	AA1237	
	10. Industrial dyes or ink	AA1238	AA1239	AA1240	AA1241	
	11. Motor oil, lubrication oil or other types of oil	AA1242	AA1243	AA1244	AA1245	
	12. Photographic chemicals (fixatives or developers)	AA1246	AA1247	AA1248	AA1249	
	13. Substances used in welding	AA1250	AA1251	AA1252	AA1253	
	14. Substances used in soldering	AA1254	AA1255	AA1256	AA1257	
	15. Formalin/formaldehyde	AA1258	AA1259	AA1260	AA1261	
	16. Chemotherapeutic substances/ chemotherapy treatment (does not apply to your own medical treatment)	AA1262	AA1263	AA1264	AA1265	
	17. Laughing gas or other anesthetic gases (does not apply to you own treatment as a patient)	AA1266	AA1267	AA1268	AA1269	
	18. Other substances and conditions	AA1270	AA1271	AA1272	AA1273	
	Other substances and conditions, describe	AA1274 AA1682 (txt)				

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of pregnant women's exposure to harmful substances, which can be a risk factor for unborn babies.

4. Revision during the data collection period:

69-71. Exposure to Noise and Animals

1. Name of original questions: questions about exposure to noise and animals during this pregnancy

Q		Response options	Variable name		
69	How often have you been to a discotheq	ue since you became pregnant?			
		1) 1-2 times a week 2) Less often 3) Never	AA1275		
70	Are you in contact with animals either at	- /	<u> </u>		
		1-No 2-Yes	AA1276		
71	If yes, what sort of animals and how often are you in contact with them on a weekly basis?				
	1. Dog		AA1280		
	2. Cat		AA1281		
	3. Guinea pig		AA1282		
	4. Hamster	1) Daily	AA1283		
	5. Rabbit	2) 3-6 times a week	AA1284		
	6. Canary or other bird	3) 1-2 times a week	AA1285		
	7. Aquarium fish	4) Less than once a week	AA1286		
	8. Cow		AA1287		
	9. Pig		AA1288		
	10. Sheep, goat		AA1289		
	11. Horse		AA1290		
	12. Poultry		AA1291		
	13. Other		AA1292		

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of pregnant women's exposure to noise and animals, which can be a risk factor for unborn babies.

4. Revision during the data collection period:

Questions about housing and household

72-74. Family Household

1. Name of original questions: Questions about family household

Q		Response options	Variable name
72	With whom do you live?	· · · · · · · · · · · · · · · · · · ·	
	Spouse/partner		AA1293
	Parents		AA1294
	Parents-in-law		AA1295
	Children		AA1296
	No one		AA1297
	Other		AA1298
	If other, describe		AA1299
			AA1683(txt)
73	How many people including you live in your home?		
	Number of people over 18 years		AA1300
	Number of people between 12 and 18 years	Number 0 – 99	AA1301
	Number of people between 6 and 11 years	Number 0 – 99	AA1302
	Number of people under 6 years		AA1303
74	How many children are at nursery school/day care	?	
		Number 0 – 99	AA1304

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed to get information about family household.

4. Revision during the data collection period:

75-78. Language Backgrounds and Language(s) Spoken at Home

1. Name of original questions: Questions about language backgrounds and languages spoken at home

Q		Response options	Variable name
75	Do you or the baby's father have a mother	tongue other than Norwegian?	
		1-No	AA1305
		2-Yes	
76	If yes, which language?		
	You	1-Sámi	AA1306_D
		2-Urdu	
	Baby's father	3-English	AA1307 D
		4-Other	
		If other, which	AA1308
		,	AA1684(txt)
77	Do your parents or the baby's father's pare		
		1-No	AA1309
		2-Yes	
78	If yes, which language?		
	Your mother	1-Sámi	AA1310_D
	Your father	2-Urdu	AA1311_D
	Mother of the child's father	3-English	AA1312_D
	Father of the child's father	4-Other	AA1313_D
		If other, which	AA1314
		ii otilei, wilicii	AA1685(txt)

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed to get information about language backgrounds and language(s) spoken at home.

4. Revision during the data collection period:

This section is not included in version A. No further revisions have been made.

79-81. Income and Housing

1. Name of original questions: Questions about income and housing

Q		Response options	Variable name
79	What is your and the baby's father's yearly gross in benefits and other allowances.)	ncome? (Include child support, u	nemployment
	Your gross income	1) No income 2) Under 150.000 NOK 3) 151.000-199.999 NOK 4) 200.000-299.999 NOK 5) 300.000-399.999 NOK 6) 400.000-499.999 NOK 7) Over 500.000 NOK	AA1315
	Child's father's gross income	1) No income 2) Under 150.000 NOK 3) 151.000-199.999 NOK 4) 200.000-299.999 NOK 5) 300.000-399.999 NOK 6) 400.000-499.999 NOK 7) Over 500.000 NOK 8) Don't know	AA1316
80	Is it possible for your household to manage finance	ally without your income?	
		1-No 2-Yes, but with difficulty 3-Yes, without difficulty	AA1317
81	What type of housing do you live in?		
	Detached house		AA1318
	Farm		AA1319
	Semidetached		AA1320
	Four-flat house		AA1321
	Maisonette		AA1322
	Terraced flat		AA1323
	Basement flat		AA1324
	Apartment building Townhouse/tenement		AA1325
	Vhich floor?		AA1326 AA1327
	Other		AA1327 AA1328
			AA1329
	If other, describe		AA1686(txt)

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

Questions were developed for MoBa to survey family income and type of housing.

4. Revision during the data collection period:

82-86. Exposure at Home

1. Name of original questions: Questions about exposure to fungus, mould and illness at home

Q		Response options	Variable name
82	Has there been water damage, visible signs of the past 3 months?	f fungus/mildew or a smell of mildew i	n your home in
		No	AA1330
		Yes, water damage	AA1331
		Yes, signs of fungus and mould	AA1332
		Yes, a smell of mildew	AA1333
83	Where does your drinking water come from?		
		Public or private water supply	AA1334
		Water from a local source (e.g. well)	AA1335
84	How many times have you moved in the last 3	3 years?	
		Number 0-99	AA1336
85	Has anyone in your home had influenza, a profever and a rash after your became pregnant?		n illness with
		1-No	AA1337
		2-Yes	
86	If yes, which illness?		
	German measles		AA1338
	Chicken pox		AA1339
	Measles		AA1340
	Roseola infantum		AA1341
	Other fever with rash	-	AA1342
	Influenza	1	AA1343
	Prolonged cough	1	AA1344
	Tuberculosis	1	AA1345
	Hand, foot and mouth disease	1	AA1346
	Other	1	AA1347

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of pregnant women's exposure to fungus, mould and illness at home, which can be a risk factor for unborn babies.

4. Revision during the data collection period:

Questions 82 and 83 are not included in version A. No further revisions have been made.

Questions about life style

87-104. Smoking

1. Name of original questions: 18 questions about smoking

			Variable
Q 87	Did your mother smoke when she was pregnar	Response options	name
01	Did your mother smoke when she was pregnal	1-No	AA1348
		2-Yes	AA 1340
		3-Don't know	
88	Are you exposed to passive smoking at home	?	
		1-No	AA1349
		2-Yes	
89	If yes, how many hours a day are you exposed		
	1	Number 0-99	AA1350
90	Are you exposed to passive smoking at work?		A A 4 0 5 4
		1-No 2-Yes	AA1351
91	If yes, how many hours a day are you exposed		
	in you, now many moure a any are you expected	Number 0-99	AA1352
92	Did the baby's father smoke before you became		7.1.1.002
		1-No	AA1353
		2-Yes	
93	Does he smoke now?		
		1-No	AA1354
0.1		2-Yes	
94	Have you ever smoked?		111055
		1-No	AA1355
95	Do you smoke now (after you became pregnan	2-Yes	
90	Do you smoke now (after you became pregnan	1-No	AA1356
		2-Sometimes	AA 1330
		3-Daily	
	If sometimes, how many cigarettes per week?	Number 0-99	AA1357
	If daily, how many cigarettes per day?		AA1358
96	Did you smoke during the last 3 months before	you became pregnant this time?	
		1-No	AA1359
		2-Sometimes	
	If a most impact have many singulation many week?	3-Daily Number 0-99	A A 42CO
	If sometimes, how many cigarettes per week? If daily, how many cigarettes per day?	Number 0-99	AA1360 AA1361
97	How old were you when you started to smoke	on a daily hasis?	AA 1301
- J	Tiow old were you when you started to smoke	Number 0-99	AA1362
98	Have you stopped smoking completely?	Trainber 6 66	7011002
	The state of the s	1-No	AA1363
		2-Yes	
99	If yes, how old were you when you stopped sm	noking?	
		Number 0-99	AA1364
100	If you stopped smoking after you became p stop?	regnant, in which week of pregna	ncy did you
		Number 0-99	AA1365
101	How long after you get up in the morning until	you light your first cigarette?	
		1) 5 minutes	AA1366
		2) 6-29 minutes	
		3) 30-60 minutes	
102	Do you smoke when you are ill?	4) More than one hour	
102	Do you smoke when you are in:	1-No	AA1367
		2-Yes	AA1301
103	Do you smoke more often during the first few rest of the day?		o during the
	look of the day.	1-No	AA1368
		2-Yes	, , , , , , ,
	1	1-:30	

87-104. Smoking (cont.)

Q		Response options	Variable name		
104	If you have used other kinds of nicotine indicate which and when you used them.				
			Before	After	
			pregnancy	pregnancy	
	Chewing tobacco/snuff		AA1369	AA1370	
	2. Nicotine chewing gum		AA1371	AA1372	
	3. Nicotine adhesive patch		AA1373	AA1374	
	4. Nicotine inhaler]	AA1375	AA1376	

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of intake of nicotine before and after pregnancy.

4. Revision during the data collection period:

Version A does not include questions 94, 98, 99, item 1 of question 104. No further revisions have been made.

105. Drinking Soda, Coffee, Juice or Milk

1. Name of original questions: Questions about beverage consumption

Q	Res	se options / Variable name		
105	What was your fluid consumption (number of cups/glasses) per day before and during pregnancy? (1 mu 2 cups, 1 small plastic bottle (0.5 litre) = 4 cups, 1 large plastic bottle (1.5 litres) = 12 cups)			nancy? (1 mug =
		No. of cups /gl	lasses	
		Before pregnancy	Now	Decaffeinated?
	1. Filter coffee	AA1377	AA1378	AA1379
	2. Instant coffee	AA1380	AA1381	AA1382
	3. Boiled coffee	AA1383	AA1384	AA1385
	4. Tea	AA1386	AA1387	AA1388
	5. Herbal tea	AA1389	AA1390	AA1391
	6. Coca Cola/Pepsi, etc.	AA1392	AA1393	AA1394
	7. Other fizzy drinks	AA1395	AA1396	AA1397
	8. Diet Coca Cola, Pepsi	AA1398	AA1398	AA1400
	9. Other diet fizzy drinks	AA1401	AA1402	AA1403
	10. Tap water	AA1404	AA1405	N/A
	11. Bottled water	AA1406	AA1407	
		No. of cups /gl	lasses	
		Before pregnancy	Now	Organic?
	12. Juice/squash	AA1408	AA1409	AA1410
	13. Diet juice/squash	AA1411	AA1412	AA1413
	14. Milk (skimmed, low fat, whole)	AA1414	AA1415	AA1416
	15. Yogurt, all types	AA1417	AA1418	AA1419
	16. Yogurt/ active Lactobacillus	AA1420	AA1421	AA1422
	17. Other type of cultured milk (kefir)	AA1423	AA1424	AA1425
	18. Other	AA1426	AA1427	AA1428

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of intake of caffeine and ecological food.

4. Revision during the data collection period:

The response column 'organic' is not included in version A. No further revisions have been made.

106-109. Alcohol and Drugs

1. Name of original questions: Questions about intake of drugs and alcohol

Q		Response	Response options Varia		
106	Have you used any of the following substances?				
		Never	Previously	Last months before pregnancy	During pregnancy
	1. Hash	AA1432	AA1433	AA1434	AA1435
	2. Amphetamine	AA1436	AA1437	AA1438	AA1439
	3. Ecstasy	AA1440	AA1441	AA1442	AA1443
	4. Cocaine	AA1444	AA1445	AA1446	AA1447
	5. Heroin	AA1448	AA1449	AA1450	AA1451
107	Have you ever consumed alcohol?				
		1-No 2-Yes			AA1452
108	How often did you consume alcohol in the 3 mon consume alcohol during the pregnancy?	cohol in the 3 months before you became pregnant and how often do you eqnancy?			
	Last 3 months before pregnancy	2-Approxim	nately 6-7 tim nately 4-5 tim nately 2-3 tim	es a week	AA1453
	During pregnancy	4-Approximately once a week 5-Approximately 1-3 times a month 6-Less than once a month 7-Never			AA1454
109	What type of alcohol do you usually drink?				
	1. Light beer				AA1455
	2. Beer				AA1456
	3. Red wine				AA1457
	4. White wine				AA1458
	5. Low alcohol sodas				AA1459
	6. Fortified wines (sherry, port wine, Madeira)				AA1460
	7. Spirits (vodka, gin, snaps, cognac, whisky, liqueur)				AA1461

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

This is a measure of pregnant women's intake of alcohol and drugs before and during pregnancy.

4. Revision during the data collection period:

Version A does not include questions 107 or 108. No further revisions have been made.

110-115. Alcohol Consumption and Drinking Behaviours

1. Name of original questions: Questions about alcohol consumption and drinking behaviours

Q		Response options	Variable name
110	Did you drink 5 units or more at least once d pregnancy?	uring the last 3 months before pregn	ancy or during
	Last 3 months before pregnancy	1) Several times per week 2) Once a week 3) 1-3 times a month	AA1462
	During pregnancy	4) Less than once a month/ 5) Never	AA1463
111	How many units of alcohol do you usually drink w	hen you consume alcohol?	
	Last 3 months before pregnancy	1) 10 or more 2) 7-9 3) 5-6	AA1464
	During pregnancy	4) 3-4 5) 1-2 6) Less than 1	AA1465
112	How many units of alcohol do you have to drink be	efore you feel any effect?	
		Number 0-99	AA1466
113	Have other people irritated or hurt you by criticising	ng how much you drink?	
		1-No 2-Yes	AA1467
114	Have you ever felt that you ought to drink less alc	ohol?	
		1-No 2-Yes	AA1468
115	Have you ever drunk alcohol in the morning to cal	m your nerves or to get rid of a hangove	r?
		1-No 2-Yes	AA1469

2. Description of original questions: MoBa specific single questions

The questions were adapted from The Alcohol Use Disorders Identification Test (AUDIT; Saunders, et al., 1993), which is a screening instrument for hazardous and harmful alcohol consumption.

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Saunders JB, Aasland OG, Babor TF, DE La Fuente JR, and Grant M (1993) Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption-II. *Addiction* 88: 791-804.

3. Rationale for choosing the questions:

The questions can be used as a measure of hazardous and harmful alcohol use.

4. Revision during the data collection period:

Version A does not include questions 110 and 111. No further revisions have been made.

116. Rutgers Alcohol Problems Index (RAPI)

1. Name of original scale: Selective items from Rutgers Alcohol Problems Index (RAPI)

Q		Response options	Variable name		
116	Have you ever experienced any of the following problems during the last year in relation to your alcohol consumption?				
	Had argument of bad feelings with a family member		AA1470		
	2. Suddenly found yourself in a place that you could not remember getting to	1-Never 2-Once	AA1471		
	3. Been absent from work or school	3-Several times	AA1472		
	4. Fainted or passed out suddenly		AA1473		
	5. Had a bad time		AA1474		

2. Description of original scale: Rutgers Alcohol Problems Index (RAPI)

The original RAPI (White & Labouvie, 1989) is a 23-item self-administered screening tool for assessing adolescent problem drinking. It was developed in order to create a conceptually sound, unidimensional, relatively brief, and easily administered instrument to assess problem drinking in adolescence. The response categories are designed to reflect frequency of occurrence (1=Never, 3=Several times). Only 5 of the 23 items are selected into use in the MoBa.

Psychometric Information:

Factor analyses were conducted of test-retest data involving frequencies of a total of 53 symptoms and/or consequences of alcohol use as reported by a nonclinical sample of 1308 males and females aged 12 to 18 years at the initial test and 15 to 21 years at the retest. The resulting 23-item scale has a reliability of .92 and a 3-year stability coefficient of .40 for the total sample.

Base References/Primary Citations:

White, H.R. & Labouvie, E.W. (1989). Towards the assessment of adolescent problem drinking. *Journal of Studies on Alcohol* 50:30-37.

3. Rationale for choosing the questions:

The advantages of this short, self-administered screening tool lie in its ease of administration and its standardization which makes it possible to compare problem drinking scores across groups.

4. Revision during the data collection period:

This section is not included in version A. No further revisions have been made.

Questions about weight control and eating disorders

117-122. Weight Control and Eating Disorders

1. Name of original questions: 6 questions about weight control and eating disorders

Q		Response options	Variable name		
117	Do you think you were overweight before	this pregnancy?			
		1-Yes, a lot 2-Yes, a little 3-No	AA1475		
118	Are you worried about putting on more we	eight than necessary during this preg	nancy?		
		1-Yes, very worried 2-Somewhat worried 3-No, not especially worried	AA1476		
119					
		1-Yes, often 2-Yes, occasionally 3-No	AA1477		
120	Have you ever lost control while eating an	nd not been able to stop before you ha	efore you have eaten far too much?		
	Last 6 months before this pregnancy	1-No	AA1478		
	Now	2-Infrequently 3-Yes, at least once a week	AA1479		
121	Have you ever used any of the following to	o control your weight?			
		·	Last 6 months before this pregnancy	Now	
	Vomiting		AA1480	AA1481	
	Laxatives	1-At least once a week	AA1482	AA1483	
	Fasting	2-Seldom	AA1484	AA1485	
	Hard physical exercise	3-Never	AA1486	AA1487	
122	Is it important for your self-image that you				
		1-Yes, very important 2-Yes, quite important 3-No. not especially important	AA1488		

2. Description of original questions: Questions on weight control and eating disorders

The questions were designed in accordance with the DSM-IV (APA, 1994) diagnoses of Anorexia Nervosa (AN), Bulimia Nervosa (BN) and Eating Disorders Not Otherwise Specified (EDNOS).

Psychometric Information:

Similar diagnostic questions have been used in previous epidemiological studies in Norway (e.g. Reichborn-kjennerud, et al., 2003). Still, the questions are based on self-report and are intended to target more broadly defined disorders than diagnostic interviews (Bulik et al., 2007).

Base References/Primary Citations:

American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental Disorders (*4th edition). Washington, DC: American Psychiatric Association.

Bulik C.M., Von Holle A., Hamer R., Berg C.K., Torgersen L., Stoltenberg C., Siega-Riz A.M., Sullivan P., and Reichborn-Kjennerud T. (2007). Patterns of remission, continuation, and of broadly defined eating disorders in the Norwegian Mother and Child Cohort Study (MoBa). *Psychological Medicine* 10: 1-10.

Reichborn-Kjennerud T, Bulik CM, Kendler KS, Røysamb E, Maes H, Tambs K, Harris JR. 2003. Gender differences in binge-eating: a population-based twin study. *Acta Psychiatrica Scandnavica* 108(3):196-202.

3. Rationale for choosing the questions:

These questions are intended to bring about algorithms that define some specific subtypes of eating disorders (Bulik et al., 2007, p. 3).

4. Revision during the data collection period:

Question 120 is not included in version A. No further revisions have been made.

Questions about Urination

123-129. Urination

1. Name of original questions: 7 questions about leakage of urine before and during this pregnancy

Q		Response options	Variable name
123	Do you have leakage of urine associated with co	ughing, sneezing, laughing or hea	vy lifting?
		1-Yes 2-No	AA2149
124	Do you have leakage of urine associated with a s	udden and strong urge to urinate	?
		1-Yes 2-No	AA2150
125	How often do you have leakage of urine?		
		1-Never 2-Less than once a month 3-Once or more times a month 4-Once or more times a week 5-Every day and/or every night	AA2151
126	How much urine do you usually leak every time?		
		1-Never leak 2-Droplets or tiny amount 3-Small spray 4-Larger amounts	AA2152
127	Do you have leakage of urine before this pregnar		
		1-Yes, 2-No	AA2153
128	If yes, did you have leakage of urine the last month before this pregnancy?		
		1-Yes 2-No	AA2154
129	Did the leakage of urine occur the first time during	ng a previous pregnancy?	
		1-Yes 2-No	AA2155

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

These questions were developed for MoBa to assess the presence of urinary incontinence, which is considered as an important proxy for possible disease.

4. Revision during the data collection period:

This section is only included in version E. No further revisions have been made.

Questions about Physical activity

130-132. Physical Activity

1. Name of original questions: Questions about physical activities before and during this pregnancy

	How often do you usually exercise at the present time?					
-			Last 3 months before this pregnancy	During this pregnancy		
	1. Walking 2. Brisk walking	_	AA1489 AA1491	AA1490 AA1492		
3	3. Running/jogging/orienteering	1) Never	AA1493	AA1494		
Ę	Bicycling Training studio/weight training	3) Once a week	AA1495 AA1497	AA1496 AA1498		
	Special gymnastics/aerobics for pregnant women Aerobics/gymnastics/dance without running and jumping		AA1499 AA1501	AA1500 AA1502		
	Aerobics/gymnastics with running and jumping Dancing (swing/rock/folk)	5) 3 times or more a week	AA1503 AA1505	AA1504 AA1506		
•	10. Skiing 11. Ball sports		AA1507 AA1509	AA1508 AA1510		
_	12. Swimming		AA1511	AA1512		
	13. Riding 14. Other		AA1513 AA1515	AA1514 AA1516		
131 H	How many times a week do you do exercises for the following muscle groups?					
	Abdominal muscles	1) Never	Last 3 months before this pregnancy AA1517	During this pregnancy AA1518		
	Back muscles	2) 1-3 times a month 3) Once a week	AA1519	AA1520		
	Pelvic floor muscles (muscles around the vagina, urethra, anus)	4) Twice a week 5) 3 times or more a week	AA1521	AA1522		
132 H	How often are you currently so physically active in you sweat?	ur leisure and/or at work tha	t you get out o	f breath or		
			Last 3 months before this pregnancy	During this pregnancy		
	Leisure	1) Never 2) Less than once a week	AA1523	AA1525		
	At work	3) Once a week 4) Twice a week	AA1524	AA1526		
	THE WORK	5) 3-4 times or more a week 6) 5 times a week or more	, 3 (1027	, 0 (1020		

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

The questions were developed for MoBa to survey pregnant women's physical activities before and after pregnancy.

4. Revision during the data collection period:

This section is not included in version A. No further revisions have been made.

Questions about yourself

133. Life Satisfaction

1. Name of original scale: The Satisfaction With Life Scale (SWLS)

Q		Response options	Variable name
133	Do you agree or disagree with the following statements?		
	In most ways my life is close to my ideal	1-Disagree completely	AA1527
	2. The conditions of my life are excellent	2- Disagree 3- Disagree somewhat	AA1528
	3. I am satisfied with my life	4- Don't agree or disagree 5- Agree somewhat	AA1529
	4. So far I have gotten the important things I want in life	6- Agree 7- Agree completely	AA1530
	5. If I could live my life over, I would change almost nothing		AA1531

2. Description of original instrument: Satisfaction With Life Scale (SWLS)

The SWLS (Diener et al., 1985) is a 5-item instrument designed to measure global cognitive judgments of satisfaction with one's life. All answers are scored on a 7-point scale from 'strongly disagree' (1) to 'strongly agree' (7).

Psychometric Information (sample, reliability, validity):

Internal consistency (Cronbach's alpha) for the SWLS is between .79 and .89. Test-retest coefficients are between .84 and .54, with the decline of stability of the scale over longer periods. The SWLS demonstrates adequate convergence with related measures (r=.28~.82), and it has been shown to have potential as a cross-cultural index of life satisfaction (Diener et al., 1985; Pavot & Diener, 1993; Pavot, et al., 1993; Shigehiro, 2006; Vittersø, Røysamb & Diener, 2002).

Base References/Primary Citations:

Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. *Journal of Personality Assessment* 49: 71-75.

Pavot, W., & Diener, E. (1993). Review of the Satisfaction With Life Scale. *Psychological Assessment*, 5, 164-172.

Pavot, W., Diener, E., Colvin, R., & Sandvik, E. (1991). Further validation of the Satisfaction with Life Scale: Evidence for the cross-method convergence of self-report well-being measures. *Journal of Personality Assessment* 57: 149-161.

Shigehiro, O. (2006). The concept of life satisfaction across culture: An IRT analysis. *Journal of Research in Personality* 40(4): 411-423.

Vittersø, J., Røysamb, E., & Diener, E. (2002). The concept of life satisfaction across cultures: Exploring its diverse meaning and relation to economic wealth. In E. Gullone & R. Cummins (Eds.), *The universality of subjective wellbeing indicators. A multidisciplinary and multi-national perspective* (pp. 81–103). Dordrecht, the Netherlands: Kluwer Academic Publishers.

3. Rationale for choosing the questions:

The Satisfaction With Life Scale is a well-established measure of life satisfaction.

4. Revision during the data collection period:

134. Partner Relationship

1. Name of original scale: The Relationship Satisfaction Scale (RSS)

Q		Response options	Variable name
134	How well do these statements describe your relationship?	•	
	1. I have a close relationship with my spouse/partner		AA1532
	2. My partner and I have problems in our relationship	1-Agree completely	AA1533
	3. I am very happy with our relationship	anding 3-Agree somewhat tionship 4-Disagree somewhat 5-Disagree	AA1534
	4. My partner is generally understanding		AA1535
	5. I often consider ending our relationship		AA1536
	6. I am satisfied with my relationship with my partner		AA1537
	7. We frequently disagree on important decisions	6-Disagree completely	AA1538
	8. I have been lucky in my choice of a partner		AA1539
	9. We agree on how our child should be raised		AA1540
	10. I believe my partner is satisfied with our relationship		AA1541

2. Description of original instrument: The Relationship Satisfaction Scale (RSS)

The RSS is a 10-item scale developed originally in Norwegian for the MoBa. The scale is based on core items used in previously developed measures of marital satisfaction and relationship quality (e.g. Blum & Mehrabian, 1999; Henrick, 1988; Snyder, 1997). All answers are scored on a 6-point scale from 'strongly agree' (1) to 'strongly disagree' (6).

Psychometric Information:

Internal reliability of the RS10 is high (alpha: .85-.90). Confirmatory factor analyses provide evidence for a unidimensional structure, high loadings and good fit. The RSS correlates .92 with the Quality of Marriage Index (QMI: Norton, 1983). Predictive validity is evidenced by ability to predict future break-up/divorce and life satisfaction (Dyrdal et al., 2011; Røsand, et al., 2013; Røysamb, Vittersø & Tambs, 2014). The 5-item short version (RS5) was empirically derived by identifying the best items in terms of accounting for variance in the full sum-score index. Multiple regression and factor analyses were used (Røysamb, Vittersø & Tambs, 2014). The short version correlates .97 with the full scale.

Base References/Primary Citations:

Blum, J. & Mehrabian, A. (1999). Personality and temperament correlates of marital satisfaction. *Journal of Personality* 67 (1): 93-125.

Dyrdal, G.M., Røysamb, E., Nes, R. B. & Vittersø, J. (2011). Can a happy relationship predict a happy life? A population-based study of maternal well-being during the life transition of pregnancy, infancy, and toddlerhood. *Journal of Happiness Studies* 12(6): 947-962.

Gustavson, K., Nilsen, W., Ørstavik, R. & Røysamb, E. (2014). Relationship quality, divorce, and well-being: Findings from a three-year longitudinal study. *The Journal of Positive Psychology* 9(2): 163-174.

Henrick, S. S. (1988). A generic measure of relationship satisfaction. *Journal of Marriage and the Family 50*: 93-98.

Norton, R. (1983). Measuring marital quality: A critical look at the dependent variable. *Journal of Marriage and the Family 45*: 141-151.

Røsand, G-M. B., Slinning, K., Røysamb, E. & Tambs, K. (2013). Relationship dissatisfaction and other risk factors for future relationship dissolution: a population-based study of 18,523 couples. *Social Psychiatry and Psychiatric Epidemiology* 49(1): 109-119.

Røysamb, E., Vittersø, J. & Tambs, K. (2014). The Relationship Satisfaction scale: Psychometric properties. Norwegian Journal of Epidemiology [Norsk Epidemiologi] 24(1-2): 187-194.

Snyder, D. K. (1997). *Marital Satisfaction Inventory–Revised (MSI-R) Manual*. Los Angeles: Western Psychological Services.

3. Rationale for choosing the questions:

Partner relationship is considered a central aspect of family life. Relationship satisfaction is both an outcome *per se* and a potentially important predictor of mental health, well-being, divorce, and child-rearing.

4. Revision during the data collection period:

This instrument is not used in version A. No further revisions have been made.

135-137. Social Support

1. Name of original questions: 3 questions about social relations and social support

Q	Res	onse options	Variable name
135	Do you have anyone other than your husband/par situation?	ner you can ask for advi	ce in a difficult
		o s, 1 or 2 people s, more than 2 people	AA1545
136	How often do you meet or talk on the teleph husband/partner and children) or close friends?	one with your family (of	ther than your
	2) 2-	nce a month or less 8 times a month ore than twice a week	AA1546
137	Do you often feel lonely?		
	2-Int 3-Sc 4-Us	nost never requently metimes ually nost always	AA1547

2. Description of original questions: MoBa specific questions

Psychometric Information:

Not relevant

Primary citation/base reference:

Not relevant

3. Rationale for choosing the questions:

Social support and social relations are related to personal health and happiness (see Reblin & Uchino, 2008 for a review).

4. Revision during the data collection period:

No revisions have been made.

Added reference:

Reblin, MA & Uchino BN. 2008. Social and emotional support and its implication for health. *Current Opinion in Psychiatry* 21(2): 201–205.

138. Depression/Anxiety during Pregnancy

1. Name of original scale: Selective items from the (Hopkins) Symptoms Checklist-25 (SCL-25)

Q		Response options	Variable name		
138	Have you been bothered by any of the following during the last two weeks?				
	Feeling fearful		AA1548		
	Nervousness or shakiness inside	1-Not bothered	AA1549		
	3. Feeling hopeless about the future	2-A little bothered	AA1550		
	4. Felling blue	3-Quite bothered	AA1551		
	5. Worrying too much about things	4-Very bothered	AA1552		

2. Description of original questions: The (Hopkins) Symptoms Checklist-25 (SCL-25)

The Hopkins Symptoms Checklist with 90 items (SCL-90) measures several types of symptoms of mental disorders, two of which are anxiety and depression. The instrument was originally designed by Derogatis, Lipman & Covi (1973) at Johns Hopkins University. The SCL-25 was derived from the SCL-90 and measures symptoms of anxiety (10 items) and depression (15 items) (Hesbacher, et al., 1980). Response categories are the same for all items: "not at all, bothered," "a little bothered," "quite a bit bothered," "extremely bothered," rated 1 to 4, respectively. Five of the selected items in this section constitute the short version of SCL-25 (SCL-5; Tambs K & Moum, 1993).

Psychometric Information:

A concordance rate of 86.7% was demonstrated between the assessment by the physician and the patient's own rating of distress on the SCL-25 (Hesbacher, et al., 1980). Using and available data material (Tambs & Moum, 1993), the short version scores were estimated to correlate 0.92 with the total score from the original instrument. The alpha reliability was estimated at 0.85 for SCL-5 (Tambs & Røysamb, 2014). Sensitivity and specificity for SCL-5 have been estimated at 82% and 96% (Strand, et al., 2003).

Base References/Primary Citations:

Derogatis, L.R., Lipman, R.S. & Covi L. 1973. The SCL-90: an outpatient psychiatric rating scale. *Psychopharmacology Bulletin*, 9: 13-28.

Hesbacher PT, Rickels R, Morris RJ, Newman H, & Rosenfeld MD. 1980. Psychiatric illness in family practice. *Journal of Clinical Psychiatry*, 41: 6-10.

Strand, B.H., Dalsgard, O.S., Tambs, K., & Rognerud, M. 2003. Measuring the mental health status of the Norwegian population: A comparison of the instrument SCL-25, SCL-10, SCL-5 and MHI-5 (SF-36). *Nordic Journal of Psychiatry*, 57: 113-118.

Tambs, K. & Moum, T. 1993. How well can a few questionnaire items indicate anxiety and depression? *Acta Psychiatrica Scandnavica*, 87: 364-367.

Tambs, K. & Røysamb E. 2014. Selection of questions to short-form versions of original psychometric instruments in MoBa. *Norsk Epidemiologi* 24:195-201.

3. Rationale for choosing the questions:

SCL-5 has proven to be a brief, valid and reliable measure of mental distress (Tambs & Moum, 1993).

4. Revision during the data collection period:

139-140. Abuse

1. Name of original questions: Questions about past history of abuse

Q		Response options	Variable name)			
139	Have you ever in your adult life been slapped, hit, kicked or bothered in any way physically? (you may cross off several)						
	During this pregnancy	1-Yes	AA1553				
	Last 6 months before pregnancy	2-No	AA1554				
	Earlier	3-Don't remember	AA1555				
140	Have you ever been pressured or forced to have sexual intercourse?						
			During this pregnancy	Last 6 months before pregnancy	Earlier		
	No, never		AA1556	AA1557	AA1558		
	Yes, pressured		AA1559	AA1560	AA1561		
	Yes, forced with violence		AA1562	AA1563	AA1564		
	Yes, raped		AA1565	AA1566	AA1567		

2. Description of original questions: MoBa specific single questions

Psychometric Information:

Not relevant.

Base References/Primary Citations:

Not relevant.

3. Rationale for choosing the questions:

History of abuse before and during pregnancy supposedly affects the health of both pregnant women and the developing baby.

4. Revision during the data collection period:

For both questions, the alternative for 'during this pregnancy' does not exist in version A; instead 'the last 12 months' is used to cover 'during this pregnancy' and 'last 6 months before pregnancy.' No further revisions have been made.

141. Self Esteem

1. Name of original Scale: Selective questions from the Rosenberg Self-Esteem Scale (RSES)

Q		Response options	Variable name
141	How do you feel about yourself?		
	I have a positive attitude toward myself	1-Agree completely	AA1568
	2. I feel completely useless at times	2-Agree	AA1569
	3. I feel that I do not have much to be proud about	3-Disagree	AA1570
	4. I feel that I am a valuable person, as good as anyone else	4-Disagree completely	AA1571

2. Description of original Instrument: The Rosenberg Self-Esteem Scale (RSES)

The RSES (Rosenberg, 1965; 1986) is a 10-item scale, intended to measure global self-esteem. In the original version, half of the items are positively worded, while the other half negatively worded. Four of the selected items in this section constitute the short version of RSES (Tambs, 2004). Four response categories range from strongly agree to strongly disagree.

Psychometric Information:

Test-retest reliability ranges from .82 to .88. Cronbach's alpha ranges from .77 to .88 (Blascovich & Tomaka, 1993; Rosenberg, 1986). Alpha-reliability for the whole 10-item scale was .88 in a Norwegian sample of 250 youths (Ystgyrd, 1993). The four-item short version correlated .95 with the score based on the original 10-item scale, and the alpha reliability was estimated at .80 (Tambs, 2004).

Base References/Primary Citations:

Blascovich, J. & Tomaka, J. (1993). Measures of self-esteem. Journal of Psychology 115-160.

Robinson, P.R. Shaver, and L.S. Wrightsman (eds.) (1991). *Measures of personality and social psychological attitudes (Third edition)*. Ann Arbor: Institute of Social Research.

Rosenberg, M. (1986). Conceiving the Self. Krieger: Malabar, FL.

Rosenberg, M. (1965). Society and the adolescent self-image. New Jersey: Princeton University Press.

Tambs, K. (2004). Valg av spørsmål til kortversjoner av etablerte psykometriske instrumenter. Ed. I. Sandanger, G. Ingebrigtsen, J.F. Nygård and K. Sørgyrd. *Ubevisst sjeleliv og bevisst samfunnsliv. Psykisk hele i en sammenheng. Festskrift til Tom Sørensen på hans 60-års dag*, 217-229. Nittedal: Nordkyst Psykiatrisk AS.

Ystgyrd, M. (1993). Sårbar ungdom og sosialt støtte. En tilnærming til forebygging av psykisk stress og selvmord. Oslo: Senter for sosialt nettverk og helse.

3. Rationale for choosing the questions:

The Rosenberg Self-Esteem Scale is one of the most widely used self-esteem measures in social science research.

4. Revision during the data collection period:

142-144. Life Time History of Depression

1. Name of original Scale: Life Time History of Major Depression (LTH of MD)

Q		Response options	Variable name			
142	Have you ever experienced the following for a period of 2 weeks or more?					
	1. Felt depressed, sad		AA1572			
	2. Had problems with appetite or eaten too much	1 No.	AA1573			
	3. Been bothered by lack of energy	1-No 2-Yes	AA1574			
	4. Blamed yourself and felt worthless		AA1575			
	5. Had problems with concentration or had problems making decisions		AA1576			
	6. Had at least 3 of the problems named above simultaneously		AA1577			
143	If you have had 3 or more of these problems at the same time how many weeks did the longest period last?					
	weeks	Number 0-99	AA1578			
144	Was there a particular reason for this?					
		1-No, no particular reason 2-Yes (ex. death, divorce, miscarriage, accident)	AA1579			

2. Description of original questions: Life Time History of Major Depression (LTH of MD)

These items closely correspond to the DSM-III criteria for lifetime major depression. DSM criteria are met when i) three types of symptom items are endorsed, ii) one of these is the first, felt depressed, and iii) three types of symptoms occurred simultaneously. The criteria also include that the depression was not caused by some externally negative incident. The answers are coded as "yes" or "no".

Psychometric Information:

The reliability of the scale was tested by a new examination a year later, now using the CIDI structured interview. The correspondence was rather modest (kappa = 0.34, tetrachoric r = 0.56) (Kendler, et al., 1993).

Base References/Primary Citations:

Kendler, K. S., Neale, M. C., Kessler, R. C., Heath, A.C. and Eaves, L.J. (1993). The lifetime history of major depression in women: reliability of diagnosis and heritability, *Archives of General Psychiatry*, 50, 863-870.

3. Rationale for choosing the questions:

The questions aim to measure lifetime symptoms of depression. The measurement precision is not impressing, probably primarily because people tend to forget their problems earlier in life, but no alternative measure of life time depression was available.

4. Revision during the data collection period: